



compressoren



# Compressor HK 425-100 Pro 10 bar 3 hp/2.2 kW 400 l/min 100 l - 360501



SKU	360501
EAN	8712418332391
Weight (kg)	81.000000
Length, Width, Height (cm)	98 x 48 x 90
Workload (labor/rest %)	50/50
Start	Direct
Drive	V-belt driven
Belt size	A48 (1219)
Drive pulley diameter (mm)	320
Driven pulley diameter (mm)	110
Cylinders	2
Voltage (V)	400 V / 50 Hz / 3 Ph
Air receiver	Yes
Capacity air receiver (l)	100
Galvanized tank	No
Intake capacity (l/min)	400
Free air delivery (l/min)	280
Free air delivery (m <sup>3</sup> /h)	16.8
Cut-in pressure (bar)	8
Maximum pressure (bar)	10
Noise level dB(A) (0 m)	97
Noise level dB(A) (4 m)	77
Noise level dB(A) (7 m)	72
Sound volume reduction	No
Coupling air connection (")	EURO/ORION
Number of couplings air connections	2 - 3
Direct air connection (")	1/2 Female

Number of reducable couplings air connections	2
Stages	1
Oilfree	No
Filter with reducer	No
Pump speed (RPM)	1250
Motor power (hp / kW)	3.0 HP / 2.2 kW
Wheels	Yes
Pump type	K17C
Intercooler	No
After cooler	No

